

PVC PUDDLE FLANGE



PVC Puddle Flanges act as a barrier for water when pipes pass through retaining walls of cast-in structures.

PVC Puddle Flanges are welded on pipes going through concrete structures. The pipes passing through concrete usually do not bond well to the concrete, and thus, water can run on the external surface of the pipe. Our product features uniquely designed ridges on the surface of the flange that can act as a barrier and prevent leakages effectively.

Application examples: To be used in concrete structures such as tanks, manhole chambers, shafts, floor slabs and basements etc.


AVAILABLE SIZES:

- 1"
- 1-1/2"
- 2"
- 3"
- 4"
- 6"
- 8" and above.


We can fabricate PVC Puddle Flange Pipes based on your required Pipe Size, Pipe Class, Pipe Length:




PVC PUDDLE FLANGE - 2" (SS213)




PVC PUDDLE FLANGE - 2" (AE/AW, JIS)




PVC PUDDLE FLANGE - 3" (SS213)




PVC PUDDLE FLANGE - 3" (AE/AW, JIS)




PVC PUDDLE FLANGE - 4" (SS272)




PVC PUDDLE FLANGE - 4" (AE/AW, JIS)




PVC PUDDLE FLANGE - 4" (SS213 SOCKET)



PVC PUDDLE FLANGE - 6" (SS213)



PVC PUDDLE FLANGE - 6" (AE/AW, JIS)



PVC PUDDLE FLANGE - 6" (SS141)

